

THE JCB GROUNDHOG



GROUND CARE

Built with You in Mind

The market for utility vehicles is hugely crowded, so it takes something very special for a new machine to impress.

The JCB Groundhog has been designed with the operator firmly in mind, so say goodbye to a cramped cabin and poor driving position.

The JCB Groundhog offers plenty of leg and foot room for both driver and passenger, and thanks to a layout similar to a car, operating the steering and pedals is easy and comfortable.

In addition, the JCB Groundhog delivers more power, increased torque and better power-to-weight ratio, along with the traditional JCB values of ruggedness and durability. And it's all backed up by the best dealer support network in the UK.



Tough, Reliable, Go-Anywhere Performance

JCB is world renowned for engineering excellence, so it comes as no surprise that the JCB Groundhog boasts superb build quality, for a robust machine that you can rely on to keep performing.

A 768cc, liquid-cooled, 15.6kW (20.9hp) diesel engine powers a 6x4-wheel-drive configuration with permanent 4WD. Allied to a superior power-to-weight ratio this gives the JCB Groundhog the power and performance to conquer difficult ground conditions and inclines. Plus the machine can be specified with a choice of turf tyres, for minimum ground damage on delicate surfaces, or rough terrain tyres, for dependable traction on heavy ground.

In other words, the JCB Groundhog really can go anywhere . . . and with a top speed of 29km/h (18mph), it can go anywhere pretty quickly too. For a more stable and comfortable ride there's a long wheel base, while the continuously variable transmission gives you uninterrupted acceleration and deceleration for a smoother ride. The transmission also features a Kevlar drive belt for added durability.

When it comes to carrying loads, the JCB Groundhog has a high-capacity, tipping cargo box with a payload of 500kg (1100lbs), allowing you to transport all the equipment and materials you need. For added convenience, electric tipping is available as an option, as are the work light kit, road light kit, trailer socket, beacon, ROPS frame and safety belts.

And finally, we have ensured that the JCB Groundhog is easy and quick to maintain; all the routine checks are simple to perform and the tipping steel cargo deck provides ample service access.



The Perfect Machine for the Grounds Care Industry

Golf course management, gamekeeping, amenities, local authorities, equestrian centres, leisure, forestry, events management . . . whatever area of grounds care you specialise in, if you need to transport people, equipment and materials over ground you cannot afford to damage, you need the JCB Groundhog. But this tough performer is so versatile that it's also making a huge impact in agriculture and construction applications.



In agriculture the JCB Groundhog is ideal for providing safe and stable transportation not just for the driver, but also for a passenger and equipment (there's a large load space in this machine), allowing customers to access remote or rough ground locations. And on large construction projects, it's just the job for getting people quickly around the site.

FAST FACTS

- 15.6kW (20.9hp) diesel engine powers 6x4 wheel configuration with permanent 4WD for go-anywhere performance
- Automotive layout with plenty of leg room provides comfort and ease of operation
- CVT transmission with manual differential lock offers uninterrupted acceleration and deceleration
- High flotation tyres equal low ground bearing pressure and excellent traction
- 500kg (1100lbs) steel tipping cargo box (electrical tipping optional) gives high capacity and versatility





JCB Groundcare, Rocester, Staffordshire ST14 5JP. Tel: 01889 590312. Fax: 01889 593048. www.jcb.com

JCB reserves the right to change specification without notice. Some machines shown within this brochure are fitted with optional equipment which may vary between territories. The JCB logo is a registered trademark of J C Bamford Excavators Ltd.

Printed in England. 9999/5123 11/05